

KURBAHOV, G.G.; KULIYEV, G.A.

Biology and economic significance of some parasites and insects preying on the malva moth in the Nakhichevan A.S.S.R. Izv. AN Azerb. SSR. Ser. biol. i med. nauk no.5:65-71 '61. (MIRA 14:1) (NAKHICHEVAN AIS.S.R.—PARASITES—MOTHS) (COTTON—DISEASES AND PESTS)

Research on mass rearing of the ichneumon fly Habrobracon brevicornis Weem. under laboratory conditions and some of its results. Izv. AN Azerb. SSR Ser. biol. i med. nauk no.8:39-50'61. (ICHNEUMON FLIES)

(NAKHICHEVAN A.S.S.R.—COTTON—DIGEASES AND FESTS)

(MOTHS—BIOLOGICAL CONTROL)

KURBANOV, G.G.; KULIYEV, G.A.

Effect of agrotechnical measures on the injurious and beneficial entomofauna of cotton under the conditions of the Makhichevan A.S.S.R. Izv. AN Azerb. SSR. Ser. biol. no.4:65-71 164.

(MIRA 17:12)

KULLEV, G.B.

Organization of labor of mixed brigades for underground repair in extracting petroleum. Moskva, Gos. nauchno-tekhn. imd-vo neftiano: moskva, gorno-toplivnoi lit-ry, 1952. 85 p.

TN871.5.K83

TN871.5.K83

KULIYEV, Gadzhi-Bala Ali-Nagi ogly; SVET, Mark Grigor yevich; SULTANOV, D.K. redaktor; AL'TMAN, T.B. redaktor izdatel stva.

[Spravochnik po tekhnike bezopasnosti v neftedobyvaiushchei promyshlennosti. Baku, Azerbaidzhanskoe gos.izd-vo neft.i nauchno-tekhn.lit-ry. Pt.l. 1957. 365 p. (MIRA 10:6)


(Petroleum industry--Safety measures)

MULIYEV, G.B.; SULTANOV, D.K., kand. tekhn. nauk, red.; RASHEVSKAYA,

[Manual on safety engineering in petroleum production] Spravochnik po tekhnike bezopaenosti v neftedobyvaiushchei promyshlennosti.

Baku, Azerneftneshr. Pt.2. 1960. 205 p. (MIRA 15:7)


(Oil fields—Safety measures)





NUMBER, 4. N. -- "Lower versus and detional Utilization of the Sub-Alpine Georgical Stands of the Suckh Englisher In the Americal Stands of the Suckh Englisher Defended at 1938 Eigher Defended and Particulations All-Union Sri Ace Inst for Food Section 1. 1911 and, Loceau, 1955


30: Enternal Actual 1. No. 25, 12 Jun 55


• For Degree of Candidate in Agricultural Sciences















KULIYEV, G.K.

Development of ovaries and the formation of oogenesis in mammals. Izv. AN Azerb. SSSR. Ser. biol. i med. nauk no. 6:41-51 '63. (MIRA 17:5)

Morphological characteristics of some organs and systems of the Azerbaijan mountain merino sheep and its crosses with

coarse-wool sheep. Tzv. AN Azerb. SSR. Ser. biol. no.4:45-51 '64. (MIEA 17:12)

是一个人,我们们是一个人,我们们是一个人,我们们们是一个人,我们们们是一个人,我们们们们的一个人,我们们们们的一个人,我们们们们的一个人,我们们们们就会是我们的



APPROVED FOR RELEASE: 06/19/2000 CIA-RDP86-00513R000927510004-3"

KULIYEV. G.K., kand, well-skekhoz, nouk

Ways for increasing the productivity of meadows in szerbaljen.

Zemladelie 27 no.11:43-45 N 165.

1. Azerbaydzhanskiy nauchno-isoledovateliskiy inclinut chirainovodatva.

KULIYEV, G.K.

Morphological and biological characteristics of the growth and development of the ovaries in sheep as affected by different feeding conditions. Izv. AN Azerb. SSR. Ser. biol. nauk no.3:51-58 '65. (MIRA 18:10)

GUSEYNOV, D.K., inzh.; KULIYEV, G.R., inzh.

One case of continued operation of synchronous compensator in spite of a break in the excitation circuit. Elek.sta. 28 no.12:65-66 D 157.

(MIRA 12:3)

(Electric machinery, Synchronous)

FEL'DBARG, I.M., inzh.; KULIYEV, G.R., inzh.

Elimination of vibration of a synchronous compensator with an accelerating motor. Elek. sta. 33 no.6:78 Je '62. (MIRA 15:7) (Electric substations-Equipment and supplies) (Electric machinery-Vibration)

TBRAGIMOV, I.A., inzh.; KULIYEV, G.R., inzh.

Repair of some sections of the KSV-37500-11 synchronous compensator. Elek. sta. 34 no.8:70-72 Ag '63. (MIRA 16:11)

L 1714-56 EWT(1)

ACCESSION NR: AP5024302

UR/0084/65/000/010/0021/0021

AUTHOR: Kuliyev, I.; Rustamov, A.; Guzik, I.; Aliyev, N.

TITLE: Helicopter lands at sea [Newly designed helicopter-landing platform for Soviet "Texas-tower"-type drilling rigs]

SOURCE: Grazhdanskaya aviatsiya, no. 10, 1965, 21

TOPIC TAGS: helicopter pad, well drilling, off shore oil drilling

ABSTRACT: Described is a new helicopter landing platform for a bottom-anchored "Texas-tower"-type off-shore drilling rig, designed by the Azerbaydzhan State Design and Planning Scientific-Renearch Institute for Off-Shore Oil, (Cipromorneft'). The supporting structure is of welded steel pipe, and the 23 x 23-m landing platform consists of double planking over 180 x 160-mm wood beams, for a total area of 530 m<sup>2</sup>. A number of other design aspects are presented along with various economic and supply considerations relating to the use of these landing platforms and helicopters in off-shore drilling operations. A side view of the rig and platform and a top view

Card 1/2

L 1714-66

ACCESSION NR: AP5024302

of the platform alone are given in the article. Orig. art. has: 2 figures. [LB]

ASSOCIATION: Cipromorneft'; Azerbaydzhanskoye upravleniye -razhdanskoy aviatsii
(Azerbaydzhan Directorate of Civil Aviation)

SUBMITTED: 00 ENGL: 00 SUB CODE: AC

NO REF SOV: 000 OTHER: 000 ATD PRESS: 4095

SOV-90-58-9-3/8

AUTHOR:

Pogorel'skiy, A.M.; Kuliyev, I.A.

TITLE:

The Nature of the Change in the Resistance of Power Feed Cables of Submerged Electric Motors (O kharaktere izmeneniya soprotivleniya tokopodvodov pogruzhnykh elektro-

dvigateley)

PERIODICAL:

Energeticheskiy byulleten', 1958, Nr 9, pp 7-9 (USSR)

ABSTRACT:

The determination of the resistance of power lines to submerged electric motors used in oil-drilling operations is of great importance since any voltage drop affects the rotating moment of an asynchronous motor. The resistance of the cable is not constant but varies with the temperature of the medium, depth of the well, etc. and may be expressed by the following formula:

 $R = \frac{1}{5} e_{20} \int_{0}^{\pi} \left[1 + \alpha_{m} \left(t_{w}^{-20}\right)\right]$ 

Card 1/2


where S is the cross section of one wire of the cable in mm  $^2$ ; P20 is the specific resistance of the wire at 20°C in

SOV-90-58-9-3/8
The Nature of the Change in the Resistance of Power Feed Cables of Submerged Electric Motors

ohms  $mm^2/m$ ; h is the current depth of the well in m;  $\alpha_m$  is the temperature factor of the wire in 1/c;  $t_w$  is the temperature of the wire in c. A numerical example is cited. There are 2 Soviet references.

- 1. Electric cables--Resistance 2. Electric motors--Performance
- 3. Mathematics--Applications

Card 2/2




KULIYEV, I. A.: Master Toch Sci (diss) -- "Investigation of a system of power supply for submersible electric motors". Baku, 1959. 13 pp (Min Higher Educ USSR, Azerb Order of Labor Red Banner Industrial Inst im M. Azizbekov), 150 copies (KL, No 14, 1959, 120)

YEL YASHEVICH, Z.B., prof.; KULIYEV, I.A., kand. tekhn. nauk; KYAZIM-ZADE, Z.I., kand. tekhn. nauk, dots.

Three-phase networks with nonsymetrically distributed parameters. Izv. vys. ucheb. zav.; energ. 3 no.11:21-27 N '60. (MIRA 13:12)

1. Azerbaydzhanskiy institut nefti i khimii imeni M.Azizbekova. Predstavlena kafedroy obshchey i teoreticheskoy elektrotekhniki. (Electric power distribution)



KYAZIM-ZADE, Z.I.; KULIYEV, I.A.

Balancing a nonuniformly loaded triphase network in oil fields. Azerb. neft. khoz. 39 no.12:42-4/ D '60. (MIRA 14:9)


(Electric networks)

Expansion of current distribution in a system of grounding electrodes in a uniform and isotropic medium. Azerb. neft. khoz.

40 no.6:43-45 Je '61. (MIRA 14:8)

(Electric power distribution)


(Oll fields--Production methods)





KULIYEV, I.A.

Designing communication channels with a periodically varying laod for oil field depth-measurement devices. Izv.vys.ucheb. zav.;neft' i gaz 7 no. 1:91-96 '64. (MIRA 17:7)

1. Azerbaydzhanskiy institut nefti i khimii imeni Azizbekova.









KERIMZADE, Abutelyb Samedovich; KULIYEV. Israfil Piri ogly; TIMOPEYEV.
Vladimir Ivanovich; AGAIAROV, F.T., red.; GONGHAROV, I.A., vedushchiy red.

[Rapid welding of metal structures at off-chore installations] Opyt skorostnoi svarki metallokonstruktsii morskikh neftepromyslovykh sooruzhenii. Baku, Aznefteizdat, 1954. 141 p. (MIRA 11:5)

(Welding)

(Petroleum industry--Equipment and supplies)






KULIYEV, Israfil Piri ogly; kend.tekhn.nauk; KAZIYEV, K.M., red.;
GONCHAROV, T.A., tekhn.red.


[Offshore oil wells in foreign countries; a brief review]
Stroitel'stvo morskikh nefianykh okvazhin za rubezhom;
kratkii obzor. Baku, Azerbaidzhanskoe gos.izd-vo neft. i
nauchno-tekhn.lit-ry, 1956. 53 p.

(Oil well drilling, Submarine)

KULITEV, Israfil' Piri ogly, kandidat tekhnicheskikh nauk; SAFAROV, Yusif.
Ali ogly, kandidat tekhnicheskikh nauk; SEIDRZA, H., redaktor.

[Brection of offshore oil wells] Stroitel'stvo meftiamykh skvazhim ma more. Baku, Azerbaidshamskee gos. izd-ve meftiamoi i mauchmetekhm. lit-ry, 1956. 327 p. (MIRA 9:6) (Oil well drilling, Submarine)






GROBSHTEYN, S.R.: ZAMANOV, B.A.; KULIYEV, I.P.; NEGREYEV, V.F.;

PARKHADOV,A.A.

Electrochemical protection in thin films of sea water and possibilities for using it to prevent corrosion of submerged portion of piles. Azerb.neft.khoz.36 no.2:38-41 F '57. (MIRA 10:4)

(Corrosion and anticorrosives)

(Oil well drilling, Submarine)



KULIYEY, Israfil Piri ogly, kand.tekhn.nauk; NEGHEYEV, V.F., prof., doktor tekhn.nauk, retsenzent; SEID-RZA, M.K., red.; SHKAPRNYUK, Ya.Ye., red.; SHTEYNGEL', A.S., red.izd-ya.

是这个大型,这种人们的一个大型,这种人们的一个大型,但是是一个大型,但是是一个大型,但是是一个大型,但是是一个大型,但是一个大型,但是一个大型,但是一个大型,可

[Basic problems in offshore drilling] Osnovnye voprosy stroitel sera neftianykh skvazhin v more. Baku, Azerb.gos.izd-vo neft. i nauchro-tekhn.lit-ry, 1958. 369 p.

(Oil well drilling, Submarine)

AUTHOR:

Kuliyev, I.P., Candidate of Technical Sciences 118-58-6-17/21

TITLE:

Mechanization of Exploitation Means on Off-Shore Oil Fields (Mekhanizatsiya rabot pri stroitel'stve morskikh neftyanykh

promyslov)

FFRIODICAL:

Mekhanizatsiya trudoyëmkikh i tyazhëlykh rabot, 1958, Nr 6,

pp 40-41 (USSR)

ABSTRACT:

The exploitation of off-shore oil deposits has long been labor consuming work. Therefore, it became necessary to mechanize the processes involved, in particular the erection of hydrotechnical constructions, the preparatory work before starting drilling operations, the exploitation of wells, etc. M.S. Skvirskiy and A.O. Kerimov, engineers of the Ginromorneft', have designed special derrick boats for installing and dismantling derricks. This operation formerly took 10 working days, but is now accomplished in 8 hours. The present development in construction and assembly work is directed towards the building of derrick boats with a hoisting capacity of 250 tons, thus enabling the assembly of drilling mechanisms on shore and their transportation by ship to the place of installation. Until 1956, the supply of boring wells with loose material (clay, hematites, etc) was a labor consuming operation, but this problem was


Card 1/2


Mechanization of Exploitation Means on Off-Shore Oil Fields 118-58-6-17/21


solved by an engineering team of the Ministerstvo neftyanoy promyshlennosti Azerbaydzhanskoy SSR (the Azerbaydzhan SSR Ministry of Oil Industry) with the development of a method of loose material transportation and transloading (using special containers). A future systematic improvement of existing mechanization means, and the development of highly efficient mechanisms, will benefit the development of the off-shore oil industry. There is 1 photo, 1 diagram and 1 table.


1. Oil industry--USSR 2. Off shore oil--Explotation 3. Towers -- Erection

Card 2/2










#### KULIYEV, I.

Automation of oil production. MTO no.10:42 0 '59. (MIRA 13:2)

1. Starshiy inzhener tekhnicheskogo upravleniya Ministerstva neftyanoy promyshlennosti AzerSSR.

(Azerbaijan--Oil fields--Equipment and supplies)
(Automation)



KULIYEV, I.P.; TIMOFEYEV, V.I.; KERIM-ZAHE, A.S.

Joining pipes in laying and repairing subaqueous pipelines.
Azerb. neft. khoz. 38 no.6:46-47 Je '59. (MIRA 12:10)
(Pipe fitting)

WULIYEV, I.P.; GUZIK, I.S.

Using movable installations in offshore test drilling. Azerb. neft.
khos. 38 no.7:46-48 Jl '59. (MIRA 13:2)
(Oil well drilling, Submarine-Equipment and supplies)


TER-GRIGOR'YAN, A.I., inzh.; AVETISYAN, A.A., inzh.; GASAN-DZHALALOY,
A.B., inzh.; GUKHMAN, M.I., inzh. [deceased]; DAVIYAN, S.Kh.,
inzh.; DADASHEV, B.B., kand.tekhm.nauk [deceased]; DANIYELYANTS,
A.A., inzh.; DEDUSENKO, G.Ya., kand.tekhm.nauk; IOANESYAN, R.A.,
inzh.; KARASIK, 7.Ye., inzh.; KULLIEV, I.P., kand.tekhm.nauk;
KULL-ZADE, K.N., kand.tekhm.nauk; LANGLEBEN, M.L., kand.tekhm.
nauk; MADERA, R.S., inzh.[deceased]; MIKHAYLOV, V.R., inzh.;
nuradov, I.M., inzh.; POLYAKOV, Z.D., inzh.; PROTASOV, G.N., kand.
tekhm.nauk; SAROYAN, A.Ye., kand.tekhm.nauk; SEID-RZA, M.K., kand.
tekhm.nauk; TARANKOV, V.V., inzh.; FRIDMAN, M.Ye., inzh.; SHNEYDEROV,
M.R., kand.tekhm.nauk; TAISHNIKOVA, Ye.A., kand.tekhm.nauk; SHTEYNGEL', A.S., red.izd-va

[Driller's handbook] Spravochnik burovogo mastera. Izd.2., icpr.
i dop. Baku, Azerbaidzhanskoe gos.izd-vo neft.i nauchno-tekhn.lit-ry,
(MIRA 13:5)
1960. 783 p. (Oil well drilling)

MAMEDOV, M.K.; MAMEDOV, B.M.; KIILITHW L.P.; SAMEDOV, F.I.

Offshore oil fields are the creation of the Soviet Azerbaijan.
Azerb. neft. khoz. 39:20-23 Ap '60. (MIRA 13:11)

(Azerbaijan--Oil well drilling, Submarine)



MULIYEV, I.P.; IBRAGIMOV, A.M.; ALIMAMEDOV, L.S.

Effect of the roughness of the surface of piles on wave pressure.
Azerb. neft. khoz. 39 no.7:39-42 Jl '60. (MIRA 13:10)

(Piling (Civil engineering))

KULIYEV, I.P.; MOKHALOV, M.H.; GUZIK, I.S.

Results of and prospects for using floating rigs. Azerb. neft. khoz.
39 no.11:46-48 H '60. (MIRA 13:12)
(Caspian Sea--Oil well drilling, Submarine--Equipment and supplies)

KULIYEV, Israfil Piri-ogly. prof., doktor tekhn.nauk; GUZIN, I.S., nauchnyy red.; KOMAROVA, T.F., red.; SAVCHENKO, Ye.V., tekhn.red.

[Petroleum marine deposits in Azerbaijan] Morekoja restitute.

[Petroleum marine deposits in Azerbaijan] Morskeia neft! Azerbaidzhana. Moskva, Izd-vo "Znanie," 1961. 27 p. (Vsesoiuznoe obshchestvo po rasprostraneniiu politicheskikh i nauchnykh snanii. Ser.4, Tekhnika, no.2)

(Azerbaijan--Oil well drilling, Submarine)


ALIKHANOV, E.N.; KULIYEV, I.P.; SAMEDOV, F.I.

Characteristics and principles of the efficient development of offshore petroleum fields. Sov.geol. 4 no.10:100-107 0 '61.

(MIRA 14:11)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut morskey nefti.

(Azerbaijan--Oil well drilling, Submarine)



AMIROV, A.D., kand. tekhn. nauk; KULIYEV, I.P., red.; SIVOKON', V., tekhn. red.

[Offshore oil workers, winners of the Lenin Prize]Morskie neftianiki - laureaty Leninskoi premii. Baku, Ob-vo po rasprostrameniu polit. i nauchn. znanii, 1962. 89 p.

(MIRA 16:1)

1. Chlen obshchestva po rasprostrameniyu politicheskikh i nauchnykh znaniy (for Amirov)

(Azerbaijan--Oil well drilling, Submarine)

(Lenin Prizes)

NAZIROV, R.K.; KULIYEV, I.P.; IBRAGIMOV, A.M.; ALIMAMEDOV, L.S.


Fouling of steel structures in sea waters as a factor in the projecting of marine oil-engineering plants. Izv.AN Azerb. SSR.Ser.fiz.-mat.i tekh.nauk no.1:151-159 '62. (MIRA 15:4) (Marine biology)

KULIYEV, I.P.; SEID-RZA, M.K.; NAZIROV, S.A.; AKHMEDOV, A.A.

Efficient use of jet bits in turbo drilling. Azerb.neft.khoz.

41 no.2:11-14 F '62. (MIRA 15:8)

(Oil well drilling--Equipment and supplies)



KULIYEV, I.P., doktor tekhn.nauk, prof., laureat Leninskoy premii;

NEGREYEV, V.F., doktor.tekhn.nauk, prof., laureat Leninskoy premii;

TRIPEL', M.S., kand.tekhn.nauk; KHANLAROVA, A.G., kand.khim.nauk;

GADZHIYEVA, R.G., kand.khim.nauk

New monographs on the corrosion of metals. Azerb.neft.khoz.
41 no.4:48 Ap '62.

(Corrosion and anticorrosives)

KULIYEV, I.P.; ZGURSKIY, K.N.; ASHRAFOV, M.R.

Some characteristics of drilling barge equipment. Azerb.
neft. khoz. 41 no.12:19-21 D \*62. (MIRA 16:7)

(Oil well drilling, Submarine—Equipment and supplies)

MAMEDOV, B.M.; KULIYEV, I.P., red.; STANKOVICH, Yu.V., red.izd-va; BAGIROVA, S., tekhn. red.

[Principles of drilling, developing, and studying wells am layers in multilayer offshore oil fields] Printsipy razburivaniia, razrabotki i issledovaniia skvazhin i plastov na mnogoplastovykh morskikh neftianykh mestorozhdeniiakh. Baku, Azerneshr, 1963. 197 p. (MIRA 16:8) (Caspian Sea-Oil well drilling, Submarine)

KULIYEV, I.P., doktor tekhn.nauk; IBRAGIMOV, A.M., kand.tekhn.nauk

All-Union Conference on the Effect of Sea Waves on Hydraulic Structures, held at Baku. Vest. AN SSSR 33 no.9:90-92 S '63. (MIRA 16:9)

(Oil-well drilling, Submarine)

ALIKHANOV, E.N.; ASAN-NURI, A.O.; KULLYEV, I.P.; MAMEDOV, B.M.;
ORUDZHEV, S.A.; TIMOFEYEV, N.S.

Off-shore oil of the U.S.S.R. Neft. khoz. 42 no.9/10:
46-51 S-0 '64.

(MIRA 17:12)

KULIYEV, I.F., ALLYEV, YR.M.; MAYDELIMAN, V.N.


Selecting the design of a swivel eye. Mach. I neft. cbcg. r .5:10-14 (M R4 18:6)

1. Cosudarmivenmyy institut po proyektirovaniyu predpriyatly dlya dobymbi nefti a morakogo mma i zavod im. ieyi "Moraidta, Baku.

TIMOFEYEV, H.S., doktor tekhn.nauk; KULIYEV, 1.P., doktor tekhn.nauk

First International Congress "Petroleum and the Scal held in Monte Carlo. Vest. AN SSSR 35 no.10:113 0 '65.

(MIRA 18:10)



AMIROV, A.D.; ABDULLAYEV, A.A.; BEKHBUTOV, V.G.; KULIYEV, I.Sh.; PROK, I. Yu.

Present status and prospects for the development of automation of petroleum production processes in Azerbaijan fields. Azerb. neft.khoz. 38 no.12:18-21 D'59. (MIRA 13:10) (Azerbaijan--Oil fields--Production methods) (Automatic control)

KULIYEV, I.Sh., inzh.

Automation of oil production using compressors. Bezop.truda v prom. 6 no.11:25-26 N \*62. (MIRA 16:2)

1. Ordena Lenina Gosudarstvennoye ob"yedineniye Azerbaydzhanskoy neftyanoy promyshlennosti.

(Azerbaijan—Oil fields—Production methods) (Automation)

L 19316-63

RDS

ACCESSION NR: AR3005864

S/0271/63/000/007/A060/A050 7

SOURCE: RZh. Avtomatika, telemekhanika i vy\*chislitel naya tekhnika, Abs. 7 A367

AUTHOR: Kuliyev, I. St.

TITLE: Automation and remote control in the oil industry of Azerbaydzhan

CITED SOURCE: Sb. nauchno-tekhn. inform. Azerb. in-t nauchno-tekhn. inform., vy\*p. 3, 1962, 3-17

TOPIC TAGS: oil production, automation, automatic control system, remote control, remote control system

TRANSLATION: An extensive survey is given of the means used in automation and remote control of different processes in oil production. The characteristics of a group measuring device of the DSM-2 type, which is used for telemetered measurements of the output from wells. The error in measurements made by means of the DSM-2 does not exceed 2.5 to 4 percent with a water content of 97%. Levels of settling tanks in water purifying facilities are maintained automatically by regulators of the PRU-4 type. Remote control of pumped wells is achieved by systems designed with various principles for encoding and sampling; in particular systems

Card 1/2

L 19316-63 ACCESSION NR: AR3005864

of the PKS, CHT, GM, GCHF, and CHTP types are utilized. Dynamograms taken with the aid of a hydraulic dynamograph and a CHTP system are presented. A schematic diagram is also given for the latter. The introduction of a CHTP system permits control over 192 objects, which leads to a 2 or 3 percent increase in oil production. As a result of automation of periodically operating deep pumped wells, more than 2,500,000 kilowatt-hours were saved in 1961 alone, while the period between repairs was increased considerably, and expenditures of pumps were decreased sharply. Control of the delivery of the working agent to compressor wells was completely automated in Azerbaydzhan. Work is underway on overall automation, which within 2.5 to 3 years. F. B.

DATE ACQ: 15Aug63

SUB CODE: FL, IE

ENCL: 00

Card 2/2

。 一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种的人,我们就是一种的人,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种的人,

KULIYEV, A., KULIYEV, K.

Genesis of an interstratal fluorite deposit in Gaurdak. Lzv.
AN Turk. SSR. Ser. fiz. tekh. khim. i geol. nauk no.3:57.62 165.
(MIRA 18:12)
SSSR. Submitted May 22, 1964.

MASHRYKOV, K.; TSEPELEV, N.S.; KULIYEV, K.

Concretionary formations in coal measures of the Kugitang Jurassic deposits. Izv.AN Turk.SSR.Sar.fiz.-tekh., khim.i geol.nauk no.l: 66-71 '62. (MIRA 16:12)

1. Institut geologii AN Turkmenskoy SSR.

KULIYEV, K.

Lithologic and petrographic characteristics of Lower and Middle Jurassic sediments in the Kugitang-Tau. Izv. AN Turk. SSR. Ser. fiz.-tekh. khim. i geol. nauk no.3:75-81 '65. (MIRA 18:12)

1. Institut geologii Gosudarstvennogo geologicheskogo komiteta SSSR. Submitted April 27, 1964.

KULIYEV, K.A.

Family Liacaridae in Azerbaijan. Dokl. AN Azerb. SSR 19 no.11:71-74 163. (MIRA 17:3)

l. Azerbaydzhanskiy gosudarstvennyy pedagogicheskiy institut imeni Lenina. Predstavleno akademikom AN AZSSR A.I. Karayevym.

KULTYEV, K. A.:

KULIYEV, K. A.: "The sanitary-hygienic characteristics of the milk of the dromedary camil and of 'chal' -- the sour-milk product prepared from this milk". Ashkhabad, 1955. Turkmen Medical Inst imeni I. V. Stalin. (Dissertation for the Degree of Candidate of Science of Fedical Sciences)

S): Knizhnaya Letopis!, No. 41, 8 Oct 55

KULTYEK K.H. VOLODZ'KO, M.S., zasluzhemyy vrach Turkmenskoy SSR; KULIYEV, K.A. Some data on the occurrence of pappataci fever in children. Pediatriia (MIRA 10:12) no.8:37-38 Ag 157. 1. Iz Ashkhabadakogo gorodakogo otdela zdravookhraneniya (zav. N.A.

Voloshin)

(PAPPATACI FEVER)

GOLUBITSKAYA, F.N., assistent: KULIYEV, K.A., assistent

Observations on the course of pregancy and some gynecologic diseases in pappataci fever. Zdrav.Turk. 2 no.1:33-35

Ja-F '58. (MIRA 12:6)

大学的主义,这种主义,但是这种的人,也是不是一种的人,也是一种的人,也是一种的人,也是一种的人,也是一种的人,也是一种的人,也是一种的人,也是一种的人,也是一种的

1. Iz kafedry akusherstva i ginekologii (zav. - prof. A.B. Preysman) Turkmenskogo gosudarstvennogo meditsinskogo instituta im. I.V. Stalina.

(PAPPATACI FEVER) (PREGNANCY, COMPLICATIONS OF) (GENERATIVE ORGANS, FEMALE-DISEASES)

KULIYEV, K.A., kand.med.nauk

NEW TOTAL STATE OF THE STATE OF

Acidity of camel's milk. Zdrav. Turk. 2 no.3:37-39 My-Je 158. (MIRA 12:6)

1. Iz kafedry obshchey gigiyeny (zaveduyushchiy - prof. O.A. Dobrovol'skiy) Turkmenskogo gosudarstvennogo meditsinskogo instituta im. I.V.Stalina.

(MILK-ANALYSIS AND EXAMINATION)

#### KULIYEV, K.A.

Possibilities of making butter from camel's milk. Izv. AN Turk. SSR. no.5:94-97 '58. (MIRA 11:12)

1. Turkmenskiy gosudarstvennyy meditsinskiy institut.
(Milk) (Butter)

KULIYEV, K.A.

Mutritive value and ease of assimilation of chal (sour camel milk product). Vopr.pit. 17 no.1:90-91 Ja-F '58. (MIRA 11:4)

1. Iz kafedry obshchey gigiyeny (zav. - prof. Yu.A.Dobrovol'skiy)
Turkmenskogo meditsinskogo institut, Ashkhabad.
(MIIK, FERMENTED)

KULIYEV, K.A.; BAGIROV, B.G.

Hygienic and epidemiological characterization of the Kara-Kum Canal (first part). Zdrav. Turk. 3 no.5:27-30 S-0 159.

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

(MIRA 13:4)

1. Iz kafedry obshchey gigiyeny (zaveduyushchiy - prof. Yu.A. Dobrovol'skiy) Turkmenskogo gosudarstvennogo meditsinskogo instituta im. I.V. Stalina.

(KARA-KUM CANAL-SANITATION)

KULIYEV, K.A., kand.med.nauk

Some data on the mineral composition (ash) of camel's milk, Zdrav. Turk. 3 no.6:27-29 N-D 159. (MIRA 13:5)

1. Iz kafedry obshchey gigiyeny (zav. - prof. Yu.A. Dobrovol'skiy) Turkmenskogo gosudarstvennogo meditsinskogo instituta im. I.V. Stalina.

(MILK-ANALYSIS AND EXAMINATION)

Physicochemical composition and properties of butterfat from dromedaries. Izv.AN Turk.SSR no.4:55-58 '59. (MIRA 13:8)

1. Turkmenskiy gosudarstvennyy meditsinskiy institut.
(Camels) (Butterfat)

THE STATE OF THE PROPERTY OF

# KULIYEV, K.A., dotsent

Hygienic characteristics of chal. Zdrav. Turk. 4 no.6:34-37 N-D \*60. (MIRA 14:1)

1. Iz kafedry obshchey gigiyeny (zav. - prof. Yu.A.Dobrovol'skiy Turkmenskogo gosudarstvennogo meditsinskogo instituta imeni I.V. Stalina.

(MILK, FERMENTED)


。 一种主义,是是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是一种主义,是

KULIYEV, K.A.; OVEZOV, A.O.

Sanitary characteristics of the zones along the course of the Kara Kum Canal; second stage. Zdrav. Turk. 6 no.3:40-43 My-Je

1. Iz kafedry obshehey gigiyeny (zav. - dotsent K.A. Kuliyev) Turkmenskogo gosudarstvennogo meditsinskogo instituta. (KARA KUM CANAL REGION—WATER—POLLUTION)

ACC NR: AP6028893 SOURCE CODE: UR/0249/66/022/003/0075/0081	7	
AUTHOR: Kuliyev, K. A.		
ORG: API im. Lenin		
TITLE: New examples of ticks from Azerbaydzhan		*
SOURCE: AN AzerbSSR. Doklady, v. 22, no. 3, 1966, 75-81		. д
TOPIC TAGS: disease vector, tick, acarid species, animal parasite		
ABSTRACT: Three new tick species (Ctenobelba tuberculata, Lamellocepheus ambitus, and Eremobelba geographica) were identified in collections from various parts of the Azerbaydzhan SSR. The morphological characteristics of these acarid species are described in detail. A fourth species believed to be Oppia azerbeid-janica was also described. [WA-50; CBE No. 12]		3
SUB CODE: 06/ SUBM DATE: 20May65/ ORIG REF: 001/ OTH REF: 007/	_	··· `
Card 1/3		
		1



### KULIYEV, K.G.

Investigation of the combined control of operation of the two-stroke automotive engine burning liquefied gas. Izv.AN Azerb.SSR.Ser.fiz-tekh. i khim.nauk. no.1:139-151 '58. (MIRA 12:3) (Gas and oil engines)